



CLASSICO® LIMEWASH | MANUFACTURERS SAFETY DATA SHEET | **MSDS**
 INTERIOR/EXTERIOR | LIMEWASH MADE with NATURAL SLAKED LIME (UNI 8681)
 ORGANIC PRODUCT MADE FROM NATURAL MATERIALS

1. Identification of the substance/mixture and of the company/undertaking

PRODUCT IDENTIFIER

Product Name: Classico Limewash

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of substance/mixture: PC9a: Coatings and paints, thinners, paint removers.

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name: ROMABIO PAINTS, LLC

Full Address: 3555 Atlanta Industrial Parkway NW

District & Country: Atlanta, GA 30331 | United States of America (USA)

Phone Number: +1 678-905-3700

E-mail address of the competent person responsible for the Safety Data Sheet: info@romabio.com

EMERGENCY TELEPHONE NUMBER

FOR URGENT INQUIRIES REFER TO

Call 911 if you have a poison emergency. Call the CDC if swallowed but person is alert 1-800-222-1222

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification under CLP:

Skin Corr. 1A: H314; STOT SE 3: H335

LABEL ELEMENTS

Hazard statements:

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

Hazard pictograms:

GHS05: Corrosion

GHS07: Exclamation mark



P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

OTHER HAZARDS

PBT: This product is not identified as a PBT/vPvB substance.

3. COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURES

Hazardous ingredients:

CALCIUM HYDROXIDE

EINECS: 215-137-3

CAS: 001305-62-0

PBT/WEL: –

CLP Classification: Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H335

Percent: 50-70%

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

SKIN CONTACT: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

EYE CONTACT: Bathe the eye with running water for 15 minutes. Consult a doctor.

INGESTION: Wash out mouth with water. Do not induce vomiting. Transfer to hospital as soon as possible.

INHALATION: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.



CLASSICO® LIMEWASH | MANUFACTURERS SAFETY DATA SHEET | MSDS
 INTERIOR/EXTERIOR | LIMEWASH MADE with NATURAL SLAKED LIME (UNI 8681)
 ORGANIC PRODUCT MADE FROM NATURAL MATERIALS

**MOST IMPORTANT SYMPTOMS AND EFFECTS,
 BOTH ACUTE AND DELAYED**

Skin contact: Irritation or pain may occur at the site of contact.

EYE CONTACT: There may be pain and redness.

INGESTION: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing.

Corrosive burns may appear around the lips.

INHALATION: There may be irritation of the throat with a feeling of tightness in the chest.

DELAYED / IMMEDIATE EFFECTS: Immediate effects can be expected after short-term exposure.

**INDICATION OF ANY IMMEDIATE MEDICAL
 ATTENTION AND SPECIAL TREATMENT NEEDED**

IMMEDIATE / SPECIAL TREATMENT: Show this safety data sheet to the doctor in attendance.

5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

EXTINGUISHING MEDIA: Suitable extinguishing media for the surrounding fire should be used.

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE
 OR MIXTURE**

EXPOSURE HAZARDS: Corrosive.

ADVICE FOR FIRE-FIGHTERS

ADVICE FOR FIRE-FIGHTERS: Wear protective clothing to prevent contact with skin and eyes.

6: ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS, PROTECTIVE
 EQUIPMENT AND EMERGENCY PROCEDURES**

PERSONAL PRECAUTIONS: Refer to section 8 of SDS for personal protection details.

ENVIRONMENTAL PRECAUTIONS

ENVIRONMENTAL PRECAUTIONS: Do not discharge into drains or rivers. Contain the spillage using bunding.

**METHODS AND MATERIAL FOR CONTAINMENT AND
 CLEANING UP**

CLEAN-UP PROCEDURES: Absorb into dry earth or sand. Transfer to a suitable container. Wash the spillage site with large amounts of water. Refer to section 13 of SDS for suitable method of disposal.

REFERENCE TO OTHER SECTIONS

REFERENCE TO OTHER SECTIONS: Refer to section 8 of SDS.

7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

HANDLING REQUIREMENTS: Ensure there is sufficient ventilation of the area.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY
 INCOMPATIBILITIES**

STORAGE CONDITIONS: Store in a cool, well ventilated area. Keep container tightly closed.

SUITABLE PACKAGING: Must only be kept in original packaging.

STORAGE QUANTITY LIMITS: N/A

SPECIFIC END USE(S)

SPECIFIC END USE(S): PC9a: Coatings and paints, thinners, paint removers.

**8: EXPOSURE CONTROLS/PERSONAL
 PROTECTION**

CONTROL PARAMETERS

WORKPLACE EXPOSURE LIMITS: No data available.

DNEL/PNEC VALUES

DNEL / PNEC No data available.

EXPOSURE CONTROLS

ENGINEERING MEASURES: Ensure there is sufficient ventilation of the area.

RESPIRATORY PROTECTION: Respiratory protection not required.

HAND PROTECTION: Gloves (alkali-resistant).

EYE PROTECTION: Face-shield.

SKIN PROTECTION: Protective clothing.

ENVIRONMENTAL: Prevent from entering in public sewers or the immediate environment.

REV081722



CLASSICO® LIMEWASH | MANUFACTURERS SAFETY DATA SHEET | **MSDS**
 INTERIOR/EXTERIOR | LIMEWASH MADE with NATURAL SLAKED LIME (UNI 8681)
 ORGANIC PRODUCT MADE FROM NATURAL MATERIALS

9: PHYSICAL AND CHEMICAL PROPERTIES
INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

STATE: Liquid
COLOUR: Various
ODOUR: Barely perceptible odour
EVAPORATION RATE: Slow
OXIDISING: Non-oxidising (by EC criteria)
SOLUBILITY IN WATER: Miscible in all proportions
VISCOSITY: Non-viscous
BOILING POINT/RANGE°C: >100
FLAMMABILITY LIMITS %: LOWER: N/A
FLASH POINT°C: N/A
VAPOUR PRESSURE: N/A
PH: >11.5
MELTING POINT/RANGE°C: N/A
UPPER: N/A
AUTOFLAMMABILITY°C: N/A
RELATIVE DENSITY: 1.6
VOC g/l: 2

OTHER INFORMATION

Other information: Not applicable.

10: STABILITY AND REACTIVITY

REACTIVITY

REACTIVITY: Stable unde recommended transport or storage conditions.

CHEMICAL STABILITY

CHEMICAL STBILITY: Stable under normal conditions

POSSIBILITY OF HAZARDOUS REACTIONS

HAZARDOUS REACTIONS: Hazardous reactions will not occur under normal transport or storage conditions.

CONDITIONS TO AVOID

CONDITIONS TO AVOID: Direct sunlight.

INCOMPATIBLE MATERIALS

MATERIALS TO AVOID: Strong acids. Aluminum.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZ. DECOMP. PRODUCTS: Not applicable.

11: TOXICOLOGICAL INFORMATION
INFORMATION ON TOXICOLOGICAL EFFECTS
RELEVANT HAZARDS FOR PRODUCT:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposer	INH	Hazardous: calculated

SYMPTOMS / ROUTES OF EXPOSURE

SKIN CONTACT: Irritation or pain may occur at the site of contact.

EYE CONTACT: There may be pain and redness.

INGESTION: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Corrosive burns may appear around the lips.

INHALATION: There may be irritation of the throat with a feeling of tightness in the chest.

DELAYED / IMMEDIATE EFFECTS: Immediate effects can be expected after short-term exposure.

OTHER INFORMATION: Not applicable.

12: ECOLOGICAL INFORMATION

TOXICITY

ECOTOXICITY VALUES: No data available.

PERSISTENCE AND DEGRADABILITY

PERSISTENCE AND DEGRADABILITY: Rapidly biodegradable.

BIOACCUMULATIVE POTENTIAL

BIOACCUMULATIVE POTENTIAL: No bioaccumulation potential.

MOBILITY IN SOIL

Mobility: No data available.

RESULTS OF PBT AND VPVB ASSESSMENT

PBT identification: This product is not identified as a PBT/vPvB substance.

OTHER ADVERSE EFFECTS

OTHER ADVERSE EFFECTS: No data available.

REV081722



CLASSICO® LIMEWASH | MANUFACTURERS SAFETY DATA SHEET | **MSDS**
 INTERIOR/EXTERIOR | LIMEWASH MADE with NATURAL SLAKED LIME (UNI 8681)
 ORGANIC PRODUCT MADE FROM NATURAL MATERIALS

13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

DISPOSAL OPERATIONS: Transfer to a suitable container and arrange for collection by specialized disposal company.

RECOVERY OPERATIONS: Not applicable.

WASTE CODE NUMBER: 08 01 12

DISPOSAL OF PACKAGING: Retain for recovery.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14: TRANSPORT INFORMATION

TRANSPORT CLASS: This product does not require a classification for transport.

15: REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Specific regulations: Not applicable.

CHEMICAL SAFETY ASSESSMENT

CHEMICAL SAFETY ASSESSMENT: A chemical safety assessment has not been carried out for the

substance or the mixture by the supplier.

16: OTHER INFORMATION

OTHER INFORMATION

OTHER INFORMATION: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

*indicates text in the SDS which has changed since the last revision.

PHRASES USED IN S.2 AND S.3:

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

LEGAL DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



CLASSICO® LIMEWASH | MANUFACTURERS SAFETY DATA SHEET | **MSDS**
 INTERIOR/EXTERIOR | LIMEWASH MADE with NATURAL SLAKED LIME (UNI 8681)
 ORGANIC PRODUCT MADE FROM NATURAL MATERIALS

11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

This product is corrosive and causes serious burns and vesicles on the skin, which can arise even after exposure. Burns are very stinging and painful. Upon contact with eyes, it may cause serious harm, such as cornea opacity, iris lesions, irreversible eye coloration. Possible vapors are caustic for the respiratory system and may cause pulmonary edema, whose symptoms sometimes arise only after some hours. Exposure symptoms may include: sting, cough, asthma, laryngitis, respiratory disorders, headache, nausea and sickness. If swallowed, it may cause mouth, throat and esophagus burns, sickness, diarrhea, edema, larynx swelling and, consequently, asphyxia. Perforation of the gastrointestinal tract is also possible.

CALCIUM CARBONATE

LD50 (Oral): 6450 mg/kg Rat

12. ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

TOXICITY

Information not available.

PERSISTENCE & DEGRADABILITY

Information not available.

BIOACCUMULATIVE POTENTIAL

Information not available.

MOBILITY IN SOIL

Information not available.

RESULTS OF PBT & VPVB ASSESSMENT

Information not available.

OTHER ADVERSE EFFECTS

Information not available.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING: Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. TRANSPORT INFORMATION

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

15. REGULATORY INFORMATION

Seveso Category: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.: 3 Substances In Candidate List (Art. 59 REACH): None

STATE RIGHT TO KNOW LAWS: California Prop. 65 Components This product does not contain chemicals in the California Prop. 65 Components List.

HEALTHCARE CONTROLS: Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

VOC (Directive 2004/42/EC): Exterior walls of mineral substrate. VOC given in g/liter of product in a ready-to-use condition.

LIMIT VALUE: 40.00 (2010) **VOC of product:** 3.9 Ready to Use

CHEMICAL SAFETY ASSESSMENT

No chemical safety assessment has been processed for the mixture and the substances it contains.

REV081722



CLASSICO® LIMEWASH | MANUFACTURERS SAFETY DATA SHEET | **MSDS**
 INTERIOR/EXTERIOR | LIMEWASH MADE with NATURAL SLAKED LIME (UNI 8681)
 ORGANIC PRODUCT MADE FROM NATURAL MATERIALS

16. OTHER INFORMATION

Text of hazard (H) indications mentioned in section 2 – 3 of the sheet

Eye Dam. 1: Serious eye damage, category 1

Skin Irrit. 2: Skin irritation, category 2

STOT SE 3: Specific target organ toxicity – single exposure, category 3

H318: Causes serious eye damage.

H315: Causes skin irritation.

H335: May cause respiratory irritation. Text of risk (R) phrases mentioned in section 2 – 3 of the sheet:

R35: Causes Severe Burns.

R37: Irritating to Respiratory System.

R37/38: Irritating to Respiratory System and Skin.

R38: Irritating to Skin.

R41: Risk of Serious Damage to Eyes.

GENERAL BIBLIOGRAPHY

1. Directive 1999/45/EC & Following Amendments
2. Directive 67/548/EEC & Following Amendments & Adjustments
3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
4. Regulation (EC) 1272/2008 (CLP) of the European Parliament

5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
6. Regulation (EC) 453/2010 of the European Parliament
7. The Merck Index. – 10th Edition
8. Handling Chemical Safety
9. Niosh – Registry of Toxic Effects of Chemical Substances
10. INRS – Fiche Toxicologique (Toxicological Sheet)
11. Patty – Industrial Hygiene & Toxicology
12. N.I. Sax – Dangerous Properties Of Industrial Materials-7, 1989 Edition

NOTE FOR USERS

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.