

# ECOCERA SOFT WAX

## 1 | IDENTIFICATION OF THE SUBSTANCE/MIXTURE & OF THE COMPANY/UNDERTAKING

### 1.1 | **PRODUCT IDENTIFIER**

CODE PRODUCT NAME None EcoCera Soft Wax

## 1.2 | RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE & USES ADVISED AGAINST

INTENDED USE

Paint For Interior

## 1.3 | DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

NAME FULL ADDRESS DISTRICT & COUNTRY ROMA – Eco-Sustainable Building Technologies 554 North Avenue NW, Suite B Atlanta, GA 30318 | United States of America (USA) 678-905-3700

## 1.4 | EMERGENCY TELEPHONE NUMBER

FOR URGENT INQUIRIES REFER TO

Call 911 if you have a poison emergency. Call the CDC if swallowed but person is alert 1-800-222-1222

## 2 | HAZARDS IDENTIFICATION

## 2.1 | CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The product is not classified as hazardous pursuant to the provisions set forth in Directives 67/548/EEC and 1999/45/EC and / or Regulation (EC) 1272/2008 (CLP) (and subsequent amendments).

## 2.2 | LABEL ELEMENTS

The product is not subject to hazard labeling under directives 67/548/EEC and 1999/45/EC and following amendments and adjustments.

HAZARD SYMBOLS	None
RISK PHRASES (R)	None
SAFETY ADVICE (S)	None

## 2.3 | OTHER HAZARDS

Information not available.



## **3** | COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 | SUBSTANCES

Information not available.

## 3.2 | MIXTURES

Information not available.

## 4 | FIRST AID MEASURES

## 4.1 | DESCRIPTION OF FIRST AID MEASURES

Not specifically required. It is recommended in any case respect for the rules of good industrial hygiene.

EYES & SKIN	Wash with plenty of water; if the irritation persists, seek medical advice.
INHALATION	Remove to open air. If respiration is difficult, administer artificial respiration and seek medical advice.
INGESTION	Seek medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

## 4.2 | MOST IMPORTANT SYMPTOMS & EFFECTS, BOTH ACUTE & DELAYED

No episodes of damage to health ascribable to the product have been reported.

# 4.3 | INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION & SPECIAL TREATMENT NEEDED

Follow doctor's orders.

## 5 | FIREFIGHTING MEASURES

## 5.1 | EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

The extinction equipment should be of the conventional kind: Carbon Dioxide, Foam, Powder and Nebulised Water.

EXTINGUISHING MEDIA WHICH SHALL NOT BE USED FOR SAFETY REASONS None in particular.

## 5.2 | SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products (carbon oxide, toxic pyrolysis products, etc.).



## 5.3 | ADVICE FOR FIREFIGHTERS

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Hardhat with visor, fireproof clothing (fireproof jacket and trousers with straps around arms, legs and waist), work gloves (fireproof, cut proof and antistatic), a depressurized mask with facemask covering the whole of the operator's face or a self-respirator (self-protector) in the event of large quantities of fume.

## 6 | ACCIDENTAL RELEASE MEASURES

### 6.1 | PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES

If fumes or powders are released into respiratory protection.

### 6.2 | ENVIRONMENTAL PRECAUTIONS

The product must not penetrate the sewers, surface water, ground water and neighboring areas.

## 6.3 | METHODS & MATERIAL FOR CONTAINMENT & CLEANING UP

Use inert absorbent material (sand, vermiculite, diatomaceous earth, Kieselguhr, etc.) to soak up leaked product. Collect the majority of the remaining material and deposit it in containers for disposal. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4 | REFERENCE TO OTHER SECTIONS

Any information on personal protection and disposal is given in sections 8 and 13.

## 7 | HANDLING & STORAGE

Keep only in original container. KEEP FROM FREEZING. If frozen let return to room temperature.

### 7.1 | PRECAUTIONS FOR SAFE HANDLING

Store in sealed, closed containers.

## 7.2 | CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES.

Normal storage conditions without particular incompatibilities.



## 7.3 | SPECIFIC END USE(S)

Information not available.

## 8 | EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 | CONTROL PARAMETERS

Information not available.

### 8.2 | EXPOSURE CONTROLS

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration or bad air vent. If such operations do not make it possible to keep the concentration of the product below the permitted workplace exposure thresholds a suitable respiratory tract protection must be used. See product label for hazard details during use. Personal protection equipment must comply with the rules in force indicated below.

#### HANDLING PROTECTION

Protect hands with category II (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in PVC, neoprene, nitrile or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.

#### EYE PROTECTION

Wear protective airtight goggles (ref. Standard EN 166).

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

### RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an B or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. Standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.



## 9 | PHYSICAL & CHEMICAL PROPERTIES

## 9.1 | INFORMATION ON BASIC PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE	Liquid
COLOR	Yellow
ODOR	Characteristic
ODOR THRESHOLD	-
РН	4 – 5.5
MELTING OR FREEZING POINT	-
BOILING POINT	100°C
DISTILLATION RANGE	-
FLASH POINT	> 100°C
EVAPORATION RATE	-
FLAMMABILITY OF SOLIDS & GASES	-
LOWER INFLAMMABILITY LIMIT	-
UPPER INFLAMMABILITY LIMIT	-
LOWER EXPLOSIVE LIMIT	-
UPPER EXPLOSIVE LIMIT	-
VAPOR PRESSURE	-
VAPOR DENSITY	-
SPECIFIC GRAVITY	-
SOLUBILITY	Water
PARTITION COEFFICIENT: N-OCTANOL/WATER	-
IGNITION TEMPERATURE	-
DECOMPOSITION TEMPERATURE	-
VISCOSITY	-
REACTIVE PROPERTIES	-

## 9.2 | OTHER INFORMATION

VOC (DIRECTIVE 2004/42/EC)

1.09 gr/cm<sup>3</sup>

## 10 | STABILITY & REACTIVITY

## 10.1 | REACTIVITY

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2 | CHEMICAL STABILITY

The product is stable in normal conditions of use and storage.

## 10.3 | POSSIBILITY OF HAZARDOUS REACTIONS

In normal conditions of use and storage is not hazardous reactions are foreseeable.



### 10.4 | CONDITIONS TO AVOID

None in particular, however the usual precautions used for chemical products should be respected.

### 10.5 | INCOMPATIBLE MATERIALS

Information not available.

## 10.6 | HAZARDOUS DECOMPOSITION PRODUCTS

When heated or in the event of fire, the following can be released vapors potentially dangerous to health.

## 11 | TOXICOLOGICAL INFORMATION

No episodes of damage to health due to exposure to the product. In any case, it must be handled in accordance with the rules of good industrial hygiene. The product may have slight health effects on sensitive cause mild health effects by inhalation and / or cutaneous absorption and / or contact with eyes and / or ingestion.

## 11.1 | INFORMATION ON TOXICOLOGICAL EFFECTS

Information not available.

## 12 | ECOLOGICAL INFORMATION.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

## 12.1 | **TOXICITY**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil, sewers and waterways. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

### 12.2 | PERSISTENCE & DEGRADABILITY

Information not available.

### 12.3 | BIOACCUMULATIVE POTENTIAL

Information not available.

### 12.4 | MOBILITY IN SOIL

Information not available.

### 12.5 | RESULTS OF PBT & vPvB ASSESSMENT

Information not available.

#### 12.6 | OTHER ADVERSE EFFECTS

Information not available.



## 13 | DISPOSAL CONSIDERATIONS

## 13.1 | WASTE TREATMENT METHODS

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

#### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## 14 | TRANSPORT INFORMATION

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 15 | **REGULATORY INFORMATION**

## 15.1 | SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

SEVESO CATEGORY

None

RESTRICTIONS RELATING TO THE PRODUCT OR CONTAINED SUBSTANCES PURSUANT TO ANNEX XVII TO EC REGULATION 1907/2006.

None

SUBSTANCES IN CANDIDATE LIST (ART. 59 REACH) None

SUBSTANCES SUBJECT TO AUTHORIZATION (ANNEX XIV REACH)

None

HEALTHCARE CONTROLS

Information not available.

## 15.2 | CHEMICAL SAFETY ASSESSMENT

No chemical safety assessment has been processed for the mixture and the substances it contains.

## 16 | OTHER INFORMATION

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments



- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. The Merck Index. 10th Edition
- 8. Handling Chemical Safety
- 9. Niosh Registry of Toxic Effects of Chemical Substances
- 10. INRS Fiche Toxicologique (toxicological sheet)
- 11. Patty Industrial Hygiene and Toxicology
- 12. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition

#### NOTE FOR USERS

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.