## **RM110 - VENETIAN GLAZE**

Revision nr 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 1/14

Replaced revision:1 (Dated: 03/08/2022)

Safety Data Sheet
According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: RM110

Product name **VENETIAN GLAZE** 

1.2. Relevant identified uses of the substance or mixture and uses advised against **DECORATIVE LIME GLAZE** Intended use

1.3. Details of the supplier of the safety data sheet

**ROMABIO PAINTS LLC** Name

3555 Atlanta Industrial Pkwy NW Full address

District and Country GA 30331 ATLANTA

Tel. 678-905-3700 / 833-766-2246

e-mail address of the competent person

responsible for the Safety Data Sheet INFO@ROMABIO.COM

1.4. Emergency telephone number

For urgent inquiries refer to

FOR URGENT INQUIRIES REFER TO LOCAL DOCTOR OR HOSPITAL

Call 911 if you have a poison emergency.

Call the CDC if swallowed but person is alert 1-800-222-1222

### **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

## **RM110 - VENETIAN GLAZE**

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 2/14

Replaced revision:1 (Dated: 03/08/2022)



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage. H315 Causes skin irritation.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P280 Wear protective gloves / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor / . . .

**P264** Wash . . . thoroughly after handling.

Contains: CALCIUM HYDROXIDE

CALCIUM HYDROXIDE

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

## **SECTION 3. Composition/information on ingredients**

## 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

**CALCIUM HYDROXIDE** 

CAS 1305-62-0 8,5 ≤ x < 10 Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC 215-137-3

INDEX -

**CALCIUM HYDROXIDE** 

CAS 1305-62-0  $6 \le x < 7$  Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC 215-137-3

INDEX -

REACH Reg. 01-2119475151-45-

0041

TITANIUM DIOXIDE [in powder form contain ing 1 % or more of particles with aerodynamic dia

meter ≤ 10 µm]

CAS 13463-67-7  $2 \le x < 2,5$  Carc. 2 H351, Classification note according to Annex VI to the CLP

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 3/14

Replaced revision:1 (Dated: 03/08/2022)

Regulation: 10, V, W

EC 236-675-5 INDEX 022-006-00-2

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

## 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

## **RM110 - VENETIAN GLAZE**

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 4/14

Replaced revision:1 (Dated: 03/08/2022)

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

GBR United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

### 1,2-PROPANEDIOL

Threshold Limit Valu	е						
Туре	Country	TWA/8h		STEL/15min		Remarks /	
						Observations	
		mg/m3	ppm	mg/m3	ppm		
WEL	GBR	10				Particulates	;

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

## **RM110 - VENETIAN GLAZE**

Revision nr. 2 Dated 2022/11/18 Printed on 02022/11/18

Page n. 5/14

Replaced revision:1 (Dated: 03/08/2022)

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

#### **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	white	
Odour	mild	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	> 93 °C	
Auto-ignition temperature	Not available	
рН	Not available	
Kinematic viscosity	Not available	
Solubility	Not available	

## **RM110 - VENETIAN GLAZE**

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 6/14

Replaced revision:1 (Dated: 03/08/2022)

Partition coefficient: n-octanol/water Not available Vapour pressure Not available

Density and/or relative density 1,25 Temperature: 25 °C

Relative vapour density

Not available

Particle characteristics

Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F) 49,07 %

VOC (Directive 2010/75/EU) 1,42 % - 17,72 g/litre VOC (volatile carbon) 0,66 % - 8,29 g/litre

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 7/14

Replaced revision:1 (Dated: 03/08/2022)

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available **ACUTE TOXICITY** ATE (Inhalation) of the mixture: Not classified (no significant component) Not classified (no significant component) ATE (Oral) of the mixture: ATE (Dermal) of the mixture: Not classified (no significant component) CALCIUM HYDROXIDE LD50 (Oral): 7340 mg/kg Rat CALCIUM HYDROXIDE LD50 (Oral): 7340 mg/kg Rat TITANIUM DIOXIDE [in powder form contain ing 1 % or more of particles with aerodynamic dia meter ≤ 10 µm] LD50 (Oral): > 10000 mg/kg Rat SKIN CORROSION / IRRITATION Causes skin irritation

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 8/14

	Replaced revision:1 (Dated: 03/08/2022)
SERIOUS EYE DAMAGE / IRRITATION	
Causes serious eye damage	
RESPIRATORY OR SKIN SENSITISATION	
Does not meet the classification criteria for this hazard class	
Respiratory sensitization	
Information not available	
Skin sensitization	
Information not available	
GERM CELL MUTAGENICITY	
Does not meet the classification criteria for this hazard class	
CARCINOGENICITY	
Does not meet the classification criteria for this hazard class	
TITANIUM DIOXIDE [in powder form contain ing 1 % or more of particles with aerodynamic dia meter ≤ 10 μm] The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1% or more of titar or incorporated in particles with aerodynamic diameter ≤ 10 μm.	nium dioxide which is in the form of
REPRODUCTIVE TOXICITY	
Does not meet the classification criteria for this hazard class	

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 9/14 Replaced revision:1 (Dated: 03/08/2022)

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 10/14

Replaced revision:1 (Dated: 03/08/2022)

Information not available

#### **ASPIRATION HAZARD**

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

**CALCIUM HYDROXIDE** 

 LC50 - for Fish
 506 mg/l/96h

 EC50 - for Crustacea
 49,1 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 187,57 mg/l/72h

 Chronic NOEC for Crustacea
 32 mg/l

Chronic NOEC for Crustacea 32 mg/l
Chronic NOEC for Algae / Aquatic Plants 48 mg/l

#### 12.2. Persistence and degradability

TITANIUM DIOXIDE [in powder form contain ing 1 % or more of particles with aerodynamic dia

meter ≤ 10 µm]

Solubility in water < 0,001 mg/l

Degradability: information not available

CALCIUM HYDROXIDE

Solubility in water 1000 - 10000 mg/l

CALCIUM HYDROXIDE

Solubility in water 1000 - 10000 mg/l

### 12.3. Bioaccumulative potential

Information not available

## 12.4. Mobility in soil

## **RM110 - VENETIAN GLAZE**

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 11/14

Replaced revision:1 (Dated: 03/08/2022)

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

Not applicable

## 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

	Page n. 12/14  Replaced revision:1 (Dated: 03/08/2022)
4.4. Packing group	
Not applicable	
4.5. Environmental hazards	
Not applicable	
4.6. Special precautions for user	
Not applicable	
4.7. Maritime transport in bulk according to IMO instruments	
nformation not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EU: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product Point 3	
Contained substance	
Point 75	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	
Not applicable	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	

## **RM110 - VENETIAN GLAZE**

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 13/14

Replaced revision:1 (Dated: 03/08/2022)

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 2 Carcinogenicity, category 2

Eye Dam. 1 Serious eye damage, category 1

Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H351 Suspected of causing cancer.
H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- · IC50: Immobilization Concentration 50%
- · IMDG: International Maritime Code for dangerous goods
- · IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
   LC50: Lethal Concentration 50%
- LC50: Lethal Concentrati
   LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level

## RM110 - VENETIAN GLAZE

Revision nr. 2 Dated 2022/11/18 Printed on 2022/11/18

Page n. 14/14

Replaced revision:1 (Dated: 03/08/2022)

- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 09 / 11 / 12.